


FUJIFILM

Dye-sublimation Printer

ASK-300 NEW



► For photo print business



► For event photo business



► For various business purposes



Small yet brings a great chance
for success to your business

ASK-300 solutions — Fujifilm's superior image quality prints enhance a wide range of businesses

ASK-300 can be used in diversified business scenes in a combination with various equipment or software, producing superior quality prints in any system configuration. With this printer, starting a new business is possible with a small initial investment.



Fujifilm's Superior Image Quality

Image Intelligence™

Fujifilm's proprietary image processing technology, Image Intelligence™ automatically compensates for problematic conditions, such as poor lighting, excessive backlight, high contrast, underexposure or overexposure. It reproduces beautiful images as the eye sees them.



FUJIFILM Quality Thermal Photo Paper

The proprietary coating technology, developed through Fujifilm's experience in silver halide photos, realizes superior whiteness, glossiness and rich expressive gradation. It reproduces skin tones smoothly and scenery realistically.



An array of solutions for a successful business

At photo shops and retail shops




You can start the print business right away with this compact kiosk system, just after its installation. Shop clerks and customers can easily order and print beautiful photos instantly on their own. The ID photo format is provided as a standard feature.



At amusement facilities and events




The photos taken can be incorporated with templates or texts and printed right on the spot. This compact system can provide various types of event photos at facilities like amusement parks, aquariums and cruise ships, as well as at occasions like sport games and wedding parties.



At offices and studios



Just by connecting a computer with the printer driver installed, ASK-300 can print high quality images for use in any offices and workplaces such as design offices, construction sites and portrait studios.




For Business Expansion

The number of terminals and printers in the system configuration can be changed easily to suit to the business scale and purpose.

*A DPC-Portable can be connected with up to four printers and five order terminals.
*DPC-Portable can be connected to ASK-300, ASK-2500 and ASK-4000.

Example of configuration



A variety of functions for smooth operation




Compact Size

This compactly designed 170mm-high printer can be installed in an area equivalent to A3 paper size with minimal interference.



Easy Operation

Replacement of paper and ink ribbons is easily performed by pulling out the front panel of the printer.



Dust-Proof Design to Protect Prints from Dirt

A separator creates different passages of air for the thermal head and power supply. The high air pressure in the printer prevents dust from entering.



Energy Saving Design

With power consumed in sleep mode, only 0.5W or less, the printer contributes to energy saving and cost reduction.



Instant Business Startup


ASK-300 can be used with the compact kiosk DPC-Portable to make the best matching system (Quick Print Station), enabling you to start a new print business instantly.



ASK-300 Specifications

Printing Method	Dye-Sublimation Thermal Transfer
Gradation	256 levels (8 bit) per color (Y, C, M)
Print resolution	300 × 300 dpi
Operation for paper exchange	Semi-Auto Loading
Dimensions (W × D × H)	10.8 × 17.6 × 6.7 in. (275 × 446 × 170 mm)
Weight	approx. 12 kg (26.4 lb)
USB interface (rear side)	High-Speed USB Ver.2.0 × 1 port (Type B)
Driver software (*1)	Windows® (32-bit) Windows XP®/Windows Vista®/Windows 7® (64-bit) Windows Vista®/Windows 7® Macintosh® Mac OS® 10.5 (Leopard)/10.6 (Snow Leopard)/10.7 (Lion)
Power consumption	2.4 A (220-240 VAC, 50/60 Hz), 4.6 A (120 VAC, 50/60 Hz)
EMC & Safety & Environment	EMC FCC / CE, UL, CCC, CB(IEC/EN), RoHS, GOST-R, BSMI, KC
Accessories	spacers (2 pcs), paper strip bin (1 pcs), paper tray (1 pcs), Operation Manual (1 pcs), Detailed Manual (1 pcs)

Dimension



Consumables Lineup

Print size	Description	Number of prints per Box	Printing speed (approx)(*2)
3.5 × 5 in. (89 × 127 mm)	T RL-CF900	900 prints	11.2 seconds/print
4 × 6 in. (102 × 152 mm)	T RK-CF800	800 prints	12.3 seconds/print
5 × 7 in. (127 × 178 mm)	T R2L-CF460	460 prints	19.0 seconds/print
6 × 8 in. (152 × 203 mm)	T R68-CF400	400 prints	21.4 seconds/print

*1: Windows, Windows XP, Windows Vista, Windows 7 are registered trademarks of Microsoft Corporation in the United States and other countries.
Macintosh, Mac OS are registered trademarks of Apple Inc. in the United States and other countries.

*2: Not including data processing/transferring time.

FUJIFILM

FUJIFILM Corporation

7-3, AKASAKA 9-CHOME, MINATO-KU, TOKYO 107-0052, JAPAN